1646

1600

ENTERED

```
 3 <110> APPLICANT: Cornell-Bell, Ann H.
 4         Pemberton, Karen E.
 5         Temple Jr., Davis L.
 6         Layer, Richard T.
 7         McCabe, R. Tyler
 8         Jones, Robert M.
 9         Cognetix, Inc.
11 <120> TITLE OF INVENTION: Uses of Kappa-Conotoxin PVIIA
13 <130> FILE REFERENCE: Kappa-PVIIA
15 <140> CURRENT APPLICATION NUMBER: US/09/666,837B
16 <141> CURRENT FILING DATE: 2000-09-21
18 <150> PRIOR APPLICATION NUMBER: US 60/219,438
19 <151> PRIOR FILING DATE: 2000-07-20
21 <150> PRIOR APPLICATION NUMBER: US 60/155,135
22 <151> PRIOR FILING DATE: 1999-09-22
24 <160> NUMBER OF SEQ ID NOS: 25
26 <170> SOFTWARE: PatentIn Ver. 2.0
28 <210> SEQ ID NO: 1
29 <211> LENGTH: 27
30 <212> TYPE: PRT
31 <213> ORGANISM: Conus purpurascens
33 <220> FEATURE:
34 <221> NAME/KEY: PEPTIDE
35 <222> LOCATION: (1)..(27)
36 <223> OTHER INFORMATION: Xaa at residue 2, 7, 18, 19, 22 and 25 may be Arg,
37         homoarginine, ornithine, Lys, N-methyl-Lys,
38         N,N-dimethyl-Lys, N,N,N-trimethyl-Lys, any
39         synthetic basic amino acid, His or halo-His; Xaa at
41 <220> FEATURE:
42 <221> NAME/KEY: PEPTIDE
43 <222> LOCATION: (1)..(27)
44 <223> OTHER INFORMATION: residue 4 may be Pro or Hyp; Xaa at residue 9 and
45         23 may be Phe,Tyr, meta-Tyr, ortho-Tyr, nor-Tyr,
46         mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr,
47         O-phospho-Tyr, nitro-Tyr, Trp (D or L), neo-Trp,
49 <220> FEATURE:
50 <221> NAME/KEY: PEPTIDE
51 <222> LOCATION: (1)..(27)
52 <223> OTHER INFORMATION: halo-Trp (D or L) or any synthetic aromatic amino
53         acid; Xaa at residue 11 is His or halo-His
55 <400> SEQUENCE: 1
56 Cys Xaa Ile Xaa Asn Gln Xaa Cys Xaa Gln Xaa Leu Asp Asp Cys Cys
57  1               5                  10                  15
```

file:///C:\Crf3\Outhold\VsrI666837B.htm   2/6/02

RAW SEQUENCE LISTING   DATE: 02/06/2002
PATENT APPLICATION: US/09/666,837B   TIME: 11:49:20

Input Set : A:\206a-rs2.txt
Output Set: N:\CRF3\02062002\I666837B.raw

59 Ser Xaa Xaa Cys Asn Xaa Xaa Asn Xaa Cys Val
60   20   25
63 <210> SEQ ID NO: 2
64 <211> LENGTH: 27
65 <212> TYPE: PRT
66 <213> ORGANISM: Conus purpurascens
68 <220> FEATURE:
69 <221> NAME/KEY: PEPTIDE
70 <222> LOCATION: (1)..(27)
71 <223> OTHER INFORMATION: Xaa is Hyp
73 <400> SEQUENCE: 2
74 Cys Arg Ile Xaa Asn Gln Lys Cys Phe Gln His Leu Asp Asp Cys Cys
75   1   5   10   15
77 Ser Ala Lys Cys Asn Arg Phe Asn Lys Cys Val
78   20   25
81 <210> SEQ ID NO: 3
82 <211> LENGTH: 27
83 <212> TYPE: PRT
84 <213> ORGANISM: Conus purpurascens
86 <220> FEATURE:
87 <221> NAME/KEY: PEPTIDE
88 <222> LOCATION: (1)..(27)
89 <223> OTHER INFORMATION: Xaa is Hyp
91 <400> SEQUENCE: 3
92 Cys Arg Ile Xaa Asn Gln Lys Cys Phe Gln His Leu Asp Asp Cys Cys
93   1   5   10   15
95 Ser Arg Lys Cys Asn Ala Phe Asn Lys Cys Val
96   20   25
99 <210> SEQ ID NO: 4
100 <211> LENGTH: 27
101 <212> TYPE: PRT
102 <213> ORGANISM: Conus purpurascens
104 <220> FEATURE:
105 <221> NAME/KEY: PEPTIDE
106 <222> LOCATION: (1)..(27)
107 <223> OTHER INFORMATION: Xaa is Hyp
109 <400> SEQUENCE: 4
110 Cys Arg Ala Xaa Asn Gln Lys Cys Phe Gln His Leu Asp Asp Cys Cys
111   1   5   10   15
113 Ser Arg Lys Cys Asn Arg Phe Asn Lys Cys Val
114   20   - 25
117 <210> SEQ ID NO: 5
118 <211> LENGTH: 27
119 <212> TYPE: PRT
120 <213> ORGANISM: Conus purpurascens
122 <220> FEATURE:
123 <221> NAME/KEY: PEPTIDE
124 <222> LOCATION: (1)..(27)
125 <223> OTHER INFORMATION: Xaa is Hyp

RAW SEQUENCE LISTING   DATE: 02/06/2002
PATENT APPLICATION: US/09/666,837B   TIME: 11:49:20

Input Set : **A:\206a-rs2.txt**
Output Set: **N:\CRF3\02062002\I666837B.raw**

127 <400> SEQUENCE: 5
128 Cys Arg Ile Xaa Asn Gln Lys Cys Phe Gln His Leu Asp Asp Cys Cys
129   1   5   10   15
131 Ser Arg Ala Cys Asn Arg Phe Asn Lys Cys Val
132   20   25
135 <210> SEQ ID NO: 6
136 <211> LENGTH: 27
137 <212> TYPE: PRT
138 <213> ORGANISM: Conus purpurascens
140 <220> FEATURE:
141 <221> NAME/KEY: PEPTIDE
142 <222> LOCATION: (1)..(27)
143 <223> OTHER INFORMATION: Xaa is Hyp
145 <400> SEQUENCE: 6
146 Cys Ala Ile Xaa Asn Gln Lys Cys Phe Gln His Leu Asp Asp Cys Cys
147   1   5   10   15
149 Ser Arg Lys Cys Asn Arg Phe Asn Lys Cys Val
150   20   25
153 <210> SEQ ID NO: 7
154 <211> LENGTH: 27
155 <212> TYPE: PRT
156 <213> ORGANISM: Conus purpurascens
158 <220> FEATURE:
159 <221> NAME/KEY: PEPTIDE
160 <222> LOCATION: (1)..(27)
161 <223> OTHER INFORMATION: Xaa is Hyp
163 <400> SEQUENCE: 7
164 Cys Arg Ile Xaa Asn Gln Lys Cys Ala Gln His Leu Asp Asp Cys Cys
165   1   5   10   15
167 Ser Arg Lys Cys Asn Arg Phe Asn Lys Cys Val
168   20   25
171 <210> SEQ ID NO: 8
172 <211> LENGTH: 27
173 <212> TYPE: PRT
174 <213> ORGANISM: Conus purpurascens
176 <220> FEATURE:
177 <221> NAME/KEY: PEPTIDE
178 <222> LOCATION: (1)..(27)
179 <223> OTHER INFORMATION: Xaa is Hyp
181 <400> SEQUENCE: 8
182 Cys Arg Ile Xaa Asn Gln Lys Cys Phe Gln His Leu Asp Asp Cys Cys
183   1   5   10   15
185 Ser Arg Lys Cys Asn Arg Phe Asn Ala Cys Val
186   20   25
189 <210> SEQ ID NO: 9
190 <211> LENGTH: 27
191 <212> TYPE: PRT
192 <213> ORGANISM: Conus purpurascens
194 <220> FEATURE:

```
195 <221> NAME/KEY: PEPTIDE
196 <222> LOCATION: (1)..(27)
197 <223> OTHER INFORMATION: Xaa is Hyp
199 <400> SEQUENCE: 9
200 Cys Lys Ile Xaa Asn Gln Lys Cys Phe Gln His Leu Asp Asp Cys Cys
201  1               5                   10                  15
203 Ser Arg Lys Cys Asn Arg Phe Asn Lys Cys Val
204             20                  25
207 <210> SEQ ID NO: 10
208 <211> LENGTH: 27
209 <212> TYPE: PRT
210 <213> ORGANISM: Conus purpurascens
212 <220> FEATURE:
213 <221> NAME/KEY: PEPTIDE
214 <222> LOCATION: (1)..(27)
215 <223> OTHER INFORMATION: Xaa is Hyp
217 <400> SEQUENCE: 10
218 Cys Arg Ile Xaa Asn Gln Ala Cys Phe Gln His Leu Asp Asp Cys Cys
219  1               5                   10                  15
221 Ser Arg Lys Cys Asn Arg Phe Asn Lys Cys Val
222             20                  25
225 <210> SEQ ID NO: 11
226 <211> LENGTH: 27
227 <212> TYPE: PRT
228 <213> ORGANISM: Conus purpurascens
230 <220> FEATURE:
231 <221> NAME/KEY: PEPTIDE
232 <222> LOCATION: (1)..(27)
233 <223> OTHER INFORMATION: Xaa is Hyp
235 <400> SEQUENCE: 11
236 Cys Arg Ile Xaa Asn Gln Lys Cys Met Gln His Leu Asp Asp Cys Cys
237  1               5                   10                  15
239 Ser Arg Lys Cys Asn Arg Phe Asn Lys Cys Val
240             20                  25
242 <210> SEQ ID NO: 12
243 <211> LENGTH: 27
244 <212> TYPE: PRT
245 <213> ORGANISM: Conus purpurascens
247 <220> FEATURE:
248 <221> NAME/KEY: PEPTIDE
249 <222> LOCATION: (1)..(27)
250 <223> OTHER INFORMATION: Xaa is Hyp
252 <400> SEQUENCE: 12
253 Cys Arg Ile Xaa Asn Gln Lys Cys Tyr Gln His Leu Asp Asp Cys Cys
254  1               5                   10                  15
256 Ser Arg Lys Cys Asn Arg Phe Asn Lys Cys Val
257             20                  25
259 <210> SEQ ID NO: 13
260 <211> LENGTH: 27
```

RAW SEQUENCE LISTING   DATE: 02/06/2002
PATENT APPLICATION: US/09/666,837B   TIME: 11:49:20

Input Set : A:\206a-rs2.txt
Output Set: N:\CRF3\02062002\I666837B.raw

```
261 <212> TYPE: PRT
262 <213> ORGANISM: Conus purpurascens
264 <220> FEATURE:
265 <221> NAME/KEY: PEPTIDE
266 <222> LOCATION: (1)..(27)
267 <223> OTHER INFORMATION: Xaa is Hyp
269 <400> SEQUENCE: 13
270 Cys Gln Ile Xaa Asn Gln Lys Cys Phe Gln His Leu Asp Asp Cys Cys
271   1               5                  10                  15
273 Ser Arg Lys Cys Asn Arg Phe Asn Lys Cys Val
274               20                  25
277 <210> SEQ ID NO: 14
278 <211> LENGTH: 27
279 <212> TYPE: PRT
280 <213> ORGANISM: Conus purpurascens
282 <220> FEATURE:
283 <221> NAME/KEY: PEPTIDE
284 <222> LOCATION: (1)..(27)
285 <223> OTHER INFORMATION: Xaa is Hyp
287 <400> SEQUENCE: 14
288 Cys Arg Ile Xaa Asn Gln Lys Cys Phe Gln Ala Leu Asp Asp Cys Cys
289   1               5                  10                  15
291 Ser Arg Lys Cys Asn Arg Phe Asn Lys Cys Val
292               20                  25
295 <210> SEQ ID NO: 15
296 <211> LENGTH: 27
297 <212> TYPE: PRT
298 <213> ORGANISM: Conus purpurascens
300 <220> FEATURE:
301 <221> NAME/KEY: PEPTIDE
302 <222> LOCATION: (1)..(27)
303 <223> OTHER INFORMATION: Xaa is Hyp
305 <400> SEQUENCE: 15
306 Cys Arg Ile Xaa Asn Gln Lys Cys Phe Gln His Leu Asp Ala Cys Cys
307   1               5                  10                  15
309 Ser Arg Lys Cys Asn Arg Phe Asn Lys Cys Val
310               20                  25
313 <210> SEQ ID NO: 16
314 <211> LENGTH: 27
315 <212> TYPE: PRT
316 <213> ORGANISM: Conus purpurascens
318 <220> FEATURE:
319 <221> NAME/KEY: PEPTIDE
320 <222> LOCATION: (1)..(27)
321 <223> OTHER INFORMATION: Xaa is Hyp
323 <400> SEQUENCE: 16
324 Cys Arg Ile Xaa Asn Ala Lys Cys Phe Gln His Leu Asp Asp Cys Cys
325   1               5                  10                  15
327 Ser Arg Lys Cys Asn Arg Phe Asn Lys Cys Val
```

Use of n and/or Xaa has been detected in the Sequence Listing.
Review the Sequence Listing to insure a corresponding
explanation is presented in the <220> to <223> fields of
each sequence using n or Xaa.

VERIFICATION SUMMARY   DATE: 02/06/2002
PATENT APPLICATION: US/09/666,837B   TIME: 11:49:21

Input Set : **A:\206a-rs2.txt**
Output Set: **N:\CRF3\02062002\I666837B.raw**

```
L:15  M:270 C: Current Application Number differs, Replaced Application Number
L:16  M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:56  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:59  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:74  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:92  M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3
L:110 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4
L:128 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5
L:146 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:164 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7
L:182 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8
L:200 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9
L:218 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10
L:236 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11
L:253 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:270 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13
L:288 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14
L:306 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15
L:324 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16
L:342 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17
L:360 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18
L:378 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19
L:396 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20
L:414 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21
L:432 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22
L:450 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23
L:480 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25
```